Technical data of the Theaterzaal

TECHNICAL DATA OF THE THEATERZAAL

The technical data on this website is subject to change. Last update: July 2024

Auditorium

Total chairs 804
Auditorium (incl. orchestra pit) 417
Balcony 1 217
Balcony 2 170
Orchestra pit 60

FOH 19 chairs max.



Dimensions

Playing level 14m x 15m (w x d)

Stage 23,55m x 15,40m (w x d)

Height stage floor 1,05m Max. height bars 20,35m

Portal bridge max. 8m high and min. almost stage floor

Manteaux max. 14,56m and min. 10m wide

Fixed opening $14,44m \times 8m (w \times h)$

Auditorium truss -13,75m from "Koperen Kees", max 13m high; above row 11

Orchestra pit lowest level: 15,50m x 5,70m (w x d)

movable part: 12,60m x 2,60m (w x d)

Distance front edge till

'Koperen Kees' 2,18m

Loading dock adress: Coninckstraat 60 at the back of the building

Placed stage right directly at the stage
Outside door 4,20m height x 4,90m wide
Inside door 4,00m height x 5,00m wide

A floodlight and a siren will tell you if the truck is too high for the inside door

Depth / length elevator 15,50m Level street level

Elevator truck lowers to stage level

Bars are programmed in 'The New Machine by Trekwerk'

Number of bars 76 bars
Distance between bars 0,20m
Length of a bar 20,30m
Height of the bars 18,95m
Max. load 500 kg
Point load 250 kg



Side bars 2 x 2 pieces (inner bars can be programmed, outer bars have a fixed speed)

Point hoists 4 pieces, 250kg

Auditorium bar electrical max. 500 kg, point load 100-135 kg



Stage

Front curtain manually operated at stage left, blue (Wagner possible)

Marley dance floor yes, black

Legs 6 pairs, 10m x 4,5m, black Borders 6 pieces, 19m x 4m, black

Horizon $20m \times 10m$, white Gauze $2\times 19m \times 10m$, black

19m x 10m, grey

Back drop 1 made out of legs and

1 in two pieces

Black curtain round the stage available

Marley black

Lights

Lighting desk Hog 4 Full boar + Hog Palyback Wing 4

DMX control lighting cabine, FOH and stage right; 4 x down and 1 x return

DMX cabine, FOH, stage right and left Dimmers downstage: $2 \times 10 \times 2,5 \text{kW}$

center: 2 x 8 x 2,5kW upstage: 2 x 11 x 2,5kW

Technical data of the Theaterzaal

Mobile lights

(also available for the other auditorium, please call for availablity: 033-4229291 /033-4229222)

Lighting desks Roadhog 4

Six-bars 6 x 1kW medium
Par lights 10 x medium

10 x narrow

Profiles 8 x 1kW (15-38°)

Pc's 8 x 2kW Fresnels 8 x 1kW

Striplights 8 pieces of 10 channels

Booms 4 x 3 profiles 1kW (30-54°) [70-120-180-235cm]+dimmer

Sound

Mainsystem

Main: 16x Meyer Leopard flown (8 per side)

Sub: 8x Meyer 900-LFC flown

1x 1100-LFC in orchestra pit

Fills: 8x Meyer Lina flown (4 per side)

3x Meyer UP-4SLIM lipfill

2x Meyer X22 infill loges L+R

Center 11x Meyer Lina

5.1 surround 6 Tannoy (2 per floor, L+R separate inputs possible)

Electronics

Processing 2x Meyer Galileo Galaxy 816

There are snapshots for different controls of the system. Possibility for EQ at the Galaxy is possible in consultation with venue technicians.

Consoles

- ➤ A&H D-Live C1500/S5000 + DM32 of DM64 racks, SQ5+DX168 racks
- Consoles also available for the other auditorium, so check for availability.



Technical data of the Theaterzaal

Multikabel

- Multicable analog, 16 in/out. Number of outputs being used for PA inputs.
- Patch on SL is applied with several extra inputs for the PA, both analog and digital (AES)
- Number of CAT5e-lines from patch SL and SR to FOH and cabines.

Microfones

WIRED

- several Shure (SM58, Beta58, SM57, Beta57, ksm 137, beta 52)
- EV RE90H hang microphones
- EV boundary microphones
- Several microphones EV
- Several microphones Sennheiser
- Number of large diaphragm microphones

WIRELESS (4 racks á 4 ch.)

- ➤ 16 x wireless receivers (Shure Axient Digital)
- ➤ 16 x handhelds AD2 transmitter with KSM9 membrame
- ➤ 16 x ADX1M beltpack
- ➤ 16 x DPA 6066 headset, available in colours bronze, brown and black.

More

- ➤ 10 x monitor APG DX12 / Labgruppen IPD 2400 amp
- 2 x APG sub TB118S / Crown XTi 2004 amp
- Enough 5 and 10 metres xlr/speakon/e.d.

For more specified information send an email td@flint.nl

Power

Power

Stage right Stage left

Downstage; 1 x 32 ampère Downstage; 1 x 32 ampère Upstage; 1 x 32 ampère Upstage; 1 x 32 ampère

1 x 125 ampère

Center; 2 x 125 ampère

or

1 x 125 ampère 1 x 63 ampère 2 x 32 ampère

Power sound

1 x 32 ampère Stage left; 1 x 32 ampère Stage right;

Note: no 125A cables inhouse available

Communication

Riedel Bolero 10 beltpacks + headsets

Videosysteem stage image

Piano

Yamaha C7x 2,27m long x 1,55m width x 1,02m high

Other Materials

(also available for the other auditorium, please call for availablity: 033-4229291 / 033-4229222)

Hazer MDG ATMe

Smoke Martin Magnum 2000

Orchestra chairs 75 chairs Reading desks 42, with light Reading desk conductor 1 with light

Stage deck 30 pieces 2m x 1m

20cm / 40cm / 60 / 80cm high

2 rolling risers (2 x 2m) 20cm or 40cm high